

### STATE LEVEL ENVIRONMENT IMPACT ASSESSMENT AUTHORITY

Environment department, Room No. 217, 2nd floor, Mantralaya, Annexe, Mumbai- 400 032. Date:January 24, 2020

To.

#### FERANI HOTELS PVT. LTD.

at C.T.S. No. 827A/1A & 827A/2, Malad (East), Mumbai, Maharashtra

**Subject:** Environment Clearance for Proposed Amendment & Expansion in Environmental Clearance for Residential project "Raheja Residency".

Sir,

This has reference to your communication on the above mentioned subject. The proposal was considered as per the EIA Notification - 2006, by the State Level Expert Appraisal Committee-II, Maharashtra in its 123rd meeting and recommend the project for prior environmental clearance to SEIAA. Information submitted by you has been considered by State Level Environment Impact Assessment Authority in its 185th meetings.

2. It is noted that the proposal is considered by SEAC-II under screening category 8(b) as per EIA Notification 2006.

### Brief Information of the project submitted by you is as below:-

1.Name of Project	"Raheja Residency"
2.Type of institution	Private
3.Name of Project Proponent	FERANI HOTELS PVT. LTD.
4.Name of Consultant	Mahabal Enviro Engineers Pvt. Ltd. Dr. D. A. Patil;
5.Type of project	Residential Project
6.New project/expansion in existing project/modernization/diversification in existing project	Amendment & Expansion
7.If expansion/diversification, whether environmental clearance has been obtained for existing project	Earlier EC received vide letter No. SEIAA-EC-0000000315 dated 17.05.2018
8.Location of the project	C.T.S. No. 827A/1A & 827A/2, Malad (East), Mumbai, Maharashtra
9.Taluka	Borivali
10.Village	Malad
Correspondence Name:	Ferani Hotels Pvt. Ltd.
Room Number:	623
Floor:	Second Floor
<b>Building Name:</b>	Construction House - B
Road/Street Name:	Linking Road
Locality:	Opposite Khar Telephone Exchange, Khar
City:	Mumbai - 400052
11.Whether in Corporation / Municipal / other area	Municipal Corporation of Greater Mumbai (MCGM)

SEIAA Meeting No: 185 Meeting Date: January 10, 2020 ( SEIAA-STATEMENT-0000001881 ) SEIAA-MINUTES-0000002929 SEIAA-EC-0000002336 Con-

Shri. Anil Diggikar (Member Secretary SEIAA)

**Page 1 of 14** 

	IOD/CC obtained				
12.IOD/IOA/Concession/Plan Approval Number	IOD/IOA/Concession/Plan Approval Number: CHE/7128/BP(WS)/AP - (Wing A, B, C); CHE/7131/BP(WS)/AP - (Wing D & E); CHE/7127/BP(WS)/AP - (Wing F, G, H); CHE/7126/BP(WS)/AP - (Wing I, J, K, L); CHE/7129/BP(WS)/AP - (Wing M, N); CHE/7125/BP(WS)/AP (Wing P, Q, R, S, T); CHE/583/BPWS/AP/MISC/OTHER/1/NEW - (For Club House); CHE/1046/BP(WS)/LOP - Layout				
	Approved Built-up Area: 51205.51				
13.Note on the initiated work (If applicable)	Bldg A,B,C,D,E are existing building and Bldg F,G,H are nearing completion				
14.LOI / NOC / IOD from MHADA/ Other approvals (If applicable)	NA				
15.Total Plot Area (sq. m.)	57252.10				
16.Deductions	1517.30				
17.Net Plot area	55734.80				
	FSI area (sq. m.): 1,68,100.00				
18 (a).Proposed Built-up Area (FSI & Non-FSI)	Non FSI area (sq. m.): 1,85,555.00				
102 102)	Total BUA area (sq. m.): 353655				
	Approved FSI area (sq. m.): 51205.51				
18 (b).Approved Built up area as per DCR	Approved Non FSI area (sq. m.): 127163.95				
	Date of Approval: 19-03-2016				
19.Total ground coverage (m2)	29851				
20.Ground-coverage Percentage (%) (Note: Percentage of plot not open to sky)	52.13%				
21.Estimated cost of the project	9457200000				
A-compa					

## Government of Maharashtra

SEIAA)

	22.Production Details								
Serial Number	Pro	duct	Existing	(MT/M)	Proposed (MT/M)	Total (MT/M)			
1		-		-	-	-			
		2	3.Tota	l Wate	r Requiremen	nt			
		Source of	water	MCGM					
		Fresh water	er (CMD):	960					
		Recycled w		480					
		Recycled w		81	HM L				
		Swimming make up (		12	Tefr Oz				
Dry season:	:	Total Wate Requireme		1452		2			
		Fire fighting Undergroutank(CMD)	nd water	AS PER NBC					
		Fire fighting Overhead value tank(CMD)	water	AS PER NBC					
		Excess trea	ated water	770					
		Source of	water	MCGM					
		Fresh water	er (CMD):	814					
		Recycled v Flushing (		480					
		Recycled v Gardening		o designation of the second of					
		Swimming make up (		12-					
Wet season	:	Total Wate Requireme	ent (CMD)	1452	moni	of			
		Fire fighting Undergrout tank(CMD)	nd water	AS PER NBC					
		Fire fighting - Overhead water tank(CMD):		AS PER NBC					
		Excess trea	ated water	851					
Details of S pool (If any		Yes swimmi	ng pool is pı	rovided					

		24	.Detail	s of Tota	l water co	nsume	d					
Particula rs	Consumption (CMD)			I	Loss (CMD)			Effluent (CMD)				
Water Require ment	Existing	Proposed	Total	Existing Proposed Total Existing Proposed Total								
Domestic	-	-	-	-	-	-	-	-	-			
		Level of the water table:	Ground	3 - 4 m								
		Size and no otank(s) and Quantity:	of RWH	18 RWH Tar	nks with total 4	150 KL ca	pacity					
		Location of t tank(s):	he RWH	Below Baser	nent	Jan						
25.Rain V Harvestii		Quantity of r pits:	echarge		3/9	3	<b>/</b>					
(RWH)		Size of recha:	rge pits	ge pits _								
		Budgetary al (Capital cost		n 104 Lakh								
		Budgetary al (O & M cost)		5.2 Lakh/yr								
		Details of UC if any:	T tanks	Under Ground Tanks are provided								
		TA			=	1	9					
Natural water drainage pattern:				Towards So	uth Side		3					
26.Storm drainage		Quantity of s water:	torm	6,368.58 m3/hr								
		Size of SWD:		600 mm, 800 mm, 750 mm, 1000 mm wide channel								
				-M.,	W							
Sewage generation in KLD:			ration	1344								
		STP technolo	ogy:	MBBR								
27.Sewage and Waste water	Capacity of S (CMD):	TP	3 STP of total 1500 KLD capacity									
	Location & a the STP:	rea of	Location: Be	Location: Below Basement; Area provided: 1357 m2								
		Budgetary al (Capital cost		300 Lakh								
		Budgetary al (O & M cost)		60 Lakh/yr	_							

	28.Solie	d waste Management
Waste generation in	Waste generation:	Construction debris: 10,269 m3; Excavation quantity: 1,47,520 m3
the Pre Construction and Construction phase:	Disposal of the construction waste debris:	The construction debris will be utilized at site for Road Paving
	Dry waste:	2134 kg/d
	Wet waste:	3201 kg/d
Waste generation	Hazardous waste:	-
in the operation Phase:	Biomedical waste (If applicable):	-
	STP Sludge (Dry sludge):	13 KLD
	Others if any:	
	Dry waste:	Dry garbage will be disposed off to authorized recyclers
	Wet waste:	Wet garbage will be composted using Mechanical Composting unit and will be used as organic manure for landscaping.
Mode of Disposal	Hazardous waste:	- 336
of waste:	Biomedical waste (If applicable):	
	STP Sludge (Dry sludge):	Sludge use as manure for gardening
	Others if any:	# 5
	Location(s):	Ground Floor
Area requirement:	Area for the storage of waste & other material:	250 m2
	Area for machinery:	50 m2
Budgetary allocation	Capital cost:	140 Lakh
(Capital cost and O&M cost):	O & M cost:	56 Lakh

# Government of Maharashtra

	29.Effluent Charecterestics								
Serial Number	Parameters	Unit	Inlet Effluent Charecterestics	Effluent discharge standards (MPCB)					
1	-	-	-	-	-				
Amount of e	effluent generation	-							
Capacity of	the ETP:	-							
Amount of t recycled:	reated effluent	-							
Amount of v	vater send to the CETP:	-							
Membership	o of CETP (if require):	·							
Note on ETI	P technology to be used	- Mut DHI Trus							
Disposal of	the ETP sludge	(JF. :		(/2					



## Government of Maharashtra

			30.Ha	zardous	Waste D	etails				
Serial Number	Desci	ription	Cat	UOM	Existing	Proposed	Total	Method of Disposal		
1		-	-	-	-	-	-	-		
	31.Stacks emission Details									
Serial Number	Section	Section & units		ed with ntity	Stack No.	Height from ground level (m)	Internal diameter (m)	Temp. of Exhaust Gases		
1		-		-	-	-	-	-		
			32.De	tails of I	Tuel to be	e used				
Serial Number	Ty	pe of Fuel	70	Existing		Proposed		Total		
1		- 7	(Y) 2-3	ावं व	18100		7	-		
33.Source o		2	Y : 65		3/	92.	久			
34.Mode of	Transporta	tion of fuel to	site -	(2)	6	1.6	24			
		7	E			3	13			
		五	A A	35.Ei	nergy	1 3	E			
		Source of supply:	power	Adani Elect	cricity	<i>y</i>	8			
		During Co Phase: (De Load)								
		DG set as i back-up di constructi	uring	500 kVA						
Doo		During Opphase (Conload):		23.4 MW						
Pov require	_	During Op phase (Der load):		12.8 MW						
		Transform	er:		m	n				
		DG set as I back-up du operation	uring	1062.5 kVA	(62.5 kVA x	17)	U			
		Fuel used:	a h	Diesel		h.	40			
	Details of high tension line passing through the plot if any:									
	Energy saving by non-conventional method:									
<ul><li> Use of hig</li><li> Solar Stre</li></ul>	<ul> <li>Energy efficient lighting using LED</li> <li>Use of high energy efficient pumps for fire fighting, UG tanks and STP</li> <li>Solar Street lights are proposed for common areas such as open spaces, pathways, RG etc.</li> <li>Solar hot water will be provided</li> </ul>									
		3	6.Detail	calculati	ons & %	of savin	g:			
Serial Number	Hnormy Concorvation Moaching Sayand %									

SEIAA Meeting No: 185 Meeting Date: January 10, 2020 (SEIAA-STATEMENT-0000001881)
SEIAA-MINUTES-0000002929
SEIAA-EC-0000002336

Page 7 of 14

Shri. Anil Diggikar (Member Secretary SEIAA)

1		Total a	nergy Savin	~			>200/
1		>20%					
					ion control S		
Source	Ex	isting pollu	tion contro	ol system		Prop	osed to be installed
-		1	-	1			-
	allocation cost and	Capital cos	st:	130 Lakh			
	cost and	O & M cos	t:	6.5 Lakh/yr			
38	B.Enviro	onment	tal Mar	nageme	ent plan B	udge	tary Allocation
					se (with Bre		
Serial Number	Attri	butes	Parai	meter	Total	Cost pe	r annum (Rs. In Lacs)
1		ay for dust ession	Om	्रेवव व	प्रकृति	Zu	5
2	potable wa	ation and ater supply bour	90	7.64			10
3	Environmental Monitoring		As per the CPCB guidelines through MoEF Approved laboratories - Ambient Air-RSPM, PM2.5, SO2, NOx, CO), Noise: Leq day time and Night Time		4		
4	Health check up and first aid		1		5		
5		personal equipment	Shoes, Sa Googles, H	s, Safety afety Belt, and Gloves c.)	मुद्रा अद्		12
6	Traffic Ma	anagement	at entry	ds, Persons exit and g area)	Day.	7	4
7	Safety	y Nets		-			25
8		water gement		ong plot ndary	mei	nt	4
9		aning and aintenance	10				4
10	Workers	raining to s, Safety icer	ah	aharashtra		8	
11	Disinf	ection					3
		b	) Operat	ion Phas	e (with Brea	k-up)	
Serial Number	Comp	onent	Descr	iption	Capital cost Re Lacs	s. In	Operational and Maintenance cost (Rs. in Lacs/yr)
1	STP (T	ertiary)	Continuo	us O & M	300		60
2	Solar S	System	Wee	ekly	130		6.5
3	Rain Water	Harvesting	During Ra	iny season	104		5.2
4		waste osting	Continuo	us O & M	140		56
	- 1 - 1						

SEIAA Meeting No: 185 Meeting Date: January 10, 2020 (SEIAA-STATEMENT-0000001881)
SEIAA-MINUTES-0000002929
SEIAA-EC-0000002336

Landscape

Daily

5

Page 8 of 14

146

Shri. Anil Diggikar (Member Secretary SEIAA)

15

Environmental Monitoring		As per the CPCE guidelines throug MoEF Approved laboratory	ſh	-		4		
39.Storage of chemicals (inflamable/explosive/hazardous/toxic substances)								
tion	Status	Location	Storage Capacity in MT	Maximum Quantity of Storage at any point of time in MT	Consumption / Month in MT	Source of Supply	Means of transportation	
	-	4-111		2577	-	-	-	
40.Any Other Information								
1	Morage tion	Monitoring  torage of ch	Monitoring MoEF Approved laboratory  torage of chemicals (influence of subsequence of subsequenc	Monitoring  MoEF Approved laboratory  Location  Status  Location  Storage Capacity in MT  40.Any Other Info	Monitoring  MoEF Approved laboratory  torage of chemicals (inflamable/explosubstances)  Location  Status  Location  Storage Capacity in MT  Graph of Storage at any point of time in MT  40.Any Other Information	Monitoring  MoEF Approved laboratory  torage of chemicals (inflamable/explosive/hazes)  substances  Storage Capacity in MT  Consumption / Month in MT  40.Any Other Information	torage of chemicals (inflamable/explosive/hazardousubstances)  Location  Status  Location  Storage Capacity in MT  Storage at any point of time in MT  ADANY Other Information	

No Information Available



### Government of Maharashtra

**Page 9 of 14** 

CRZ/ RRZ clearance obtain, if any:	NA
Distance from Protected Areas / Critically Polluted areas / Eco-sensitive areas/ inter-State boundaries	Permission is received from SGNP Eco Sensitive Zone Monitoring Committee vide letter No. DESK/1/20/LND/ESZ/3928 OF 2018-19 DT. 01.11.2018
Category as per schedule of EIA Notification sheet	8(b)
Court cases pending if any	Bombay High Court. Suit No. 1628 of 2008. The only orders relevant to the proposed are the order dated 19.07.2012 disposing of Appeal Nos. 817 of 2010 and 806 of 2010 in the said Suit; there is no restriction on the development which is being carried on / is to be carried on by the Applicant on the said land.
Other Relevant Informations	खेववाध है।
Have you previously submitted Application online on MOEF Website.	No 200
Date of online submission	一般和自己

3. The proposal has been considered by SEIAA in its 185th meeting & decided to accord environmental clearance to the said project under the provisions of Environment Impact Assessment Notification, 2006 subject to implementation of the following terms and conditions:

### **Specific Conditions:**

I	PP to upload the full time employment certificate of the person representing the PP.
II	PP to upload the copy of approved plan submitted during earlier EC.
III	PP to upload the agreement with local body regarding utilisation of sludge or any other alternative arrangement for the utilisation of the same.
IV	PP to ensure that storm water drain should be open rectangular but may be covered by grating.
V	PP to explore to retrofit existing STP to make it 40% open to sky. PP to ensure that proposed 2 STPs should be 40% open to sky for adequate ventilation.
VI	PP to provide sufficient barricades to prevent children & other people of existing residents to go in construction site.
VII	PP to upload CFO NoC.
VIII	The PP to get NOC from competent authority with reference to Thane creek flamingo sanctuary if the project site falls within 10 Km radius from the said sanctuary boundary. The planning authority to ensure fulfilment of this condition before granting CC.
IX	PP to submit CER prescribed by MoEF&CC circular dated 1.5.2018 relevant to the area and people around the project. The specific activities to be undertaken under CER to be carried out in consultation with Municipal Corporation or collector or Environment Department.
X	PP to ensure that CER plan gets approved from Municipal Commissioner/District Collector.
XI	PP Shall comply with Standard EC conditions mentioned in the Office Memorandum issued by MoEF& CC vide F.No.22-34/2018-IA.III dt.04.01.2019.
XII	SEIAA decided to grant EC for - FSI: 168100.00 m2, Non-FSI: 185555.00 m2 and Total BUA: 353655.00 m2 ( Plan Approval no-CHE/1046/BP (WS)/LOP, Date-15.10.2019)

### **General Conditions:**

I	E-waste shall bedisposed through Authorized vendor as per E-waste (Management and Handling) Rules, 2016.
п	The Occupancy Certificate shall be issued by the Local Planning Authority to the project only after ensuring sustained availability of drinking water, connectivity of sewer line to the project site and proper disposal of treated water as per environmental norms.

SEIAA Meeting No: 185 Meeting Date: January 10, 2020 ( SEIAA-STATEMENT-0000001881 ) SEIAA-MINUTES-0000002929 SEIAA-EC-0000002336

Page 10 of

Shri. Anil Diggikar (Member Secretary SEIAA)

ш	This environmental clearance is issued subject to obtaining NOC from Forestry & Wild life angle including clearance from the standing committee of the National Board for Wild life as if applicable & this environment clearance does not necessarily implies that Forestry & Wild life clearance granted to the project which will be considered separately on merit.
IV	PP has to abide by the conditions stipulated by SEAC& SEIAA.
V	The height, Construction built up area of proposed construction shall be in accordance with the existing FSI/FAR norms of the urban local body & it should ensure the same along with survey number before approving layout plan & before according commencement certificate to proposed work. Plan approving authority should also ensure the zoning permissibility for the proposed project as per the approved development plan of the area.
VI	If applicable Consent for Establishment" shall be obtained from Maharashtra Pollution Control Board under Air and Water Act and a copy shall be submitted to the Environment department before start of any construction work at the site.
VII	All required sanitary and hygienic measures should be in place before starting construction activities and to be maintained throughout the construction phase.
VIII	Adequate drinking water and sanitary facilities should be provided for construction workers at the site. Provision should be made for mobile toilets. The safe disposal of wastewater and solid wastes generated during the construction phase should be ensured.
IX	The solid waste generated should be properly collected and segregated. dry/inert solid waste should be disposed off to the approved sites for land filling after recovering recyclable material.
X	Disposal of muck during construction phase should not create any adverse effect on the neighboring communities and be disposed taking the necessary precautions for general safety and health aspects of people, only in approved sites with the approval of competent authority.
XI	Arrangement shall be made that waste water and storm water do not get mixed.
XII	All the topsoil excavated during construction activities should be stored for use in horticulture / landscape development within the project site.
XIII	Additional soil for leveling of the proposed site shall be generated within the sites (to the extent possible) so that natural drainage system of the area is protected and improved.
XIV	Green Belt Development shall be carried out considering CPCB guidelines including selection of plant species and in consultation with the local DFO/ Agriculture Dept.
XV	Soil and ground water samples will be tested to ascertain that there is no threat to ground water quality by leaching of heavy metals and other toxic contaminants.
XVI	Construction spoils, including bituminous material and other hazardous materials must not be allowed to contaminate watercourses and the dumpsites for such material must be secured so that they should not leach into the ground water.
XVII	Any hazardous waste generated during construction phase should be disposed off as per applicable rules and norms with necessary approvals of the Maharashtra Pollution Control Board.
XVIII	The diesel generator sets to be used during construction phase should be low sulphur diesel type and should conform to Environments (Protection) Rules prescribed for air and noise emission standards.
XIX	The diesel required for operating DG sets shall be stored in underground tanks and if required, clearance from concern authority shall be taken.
xx	Vehicles hired for bringing construction material to the site should be in good condition and should have a pollution check certificate and should conform to applicable air and noise emission standards and should be operated only during non-peak hours.
XXI	Ambient noise levels should conform to residential standards both during day and night. Incremental pollution loads on the ambient air and noise quality should be closely monitored during construction phase. Adequate measures should be made to reduce ambient air and noise level during construction phase, so as to conform to the stipulated standards by CPCB/MPCB.
XXII	Fly ash should be used as building material in the construction as per the provisions of Fly Ash Notification of September 1999 and amended as on 27th August, 2003. (The above condition is applicable only if the project site is located within the 100Km of Thermal Power Stations).
XXIII	Ready mixed concrete must be used in building construction.
XXIV	Storm water control and its re-use as per CGWB and BIS standards for various applications.
XXV	Water demand during construction should be reduced by use of pre-mixed concrete, curing agents and other best practices referred.
XXVI	The ground water level and its quality should be monitored regularly in consultation with Ground Water Authority.

Page 11 of Shri. Anil Diggikar (Member Secretary SEIAA)

XXVII	The installation of the Sewage Treatment Plant (STP) should be certified by an independent expert and a report in this regard should be submitted to the MPCB and Environment department before the project is commissioned for operation. Discharge of this unused treated affluent, if any should be discharge in the sewer line. Treated effluent emanating from STP shall be recycled/refused to the maximum extent possible. Discharge of this unused treated affluent, if any should be discharge in the sewer line. Treatment of 100% gray water by decentralized treatment should be done. Necessary measures should be made to mitigate the odour problem from STP.
XXVIII	Permission to draw ground water and construction of basement if any shall be obtained from the competent Authority prior to construction/operation of the project.
XXIX	Separation of gray and black water should be done by the use of dual plumbing line for separation of gray and black water.
XXX	Fixtures for showers, toilet flushing and drinking should be of low flow either by use of aerators or pressure reducing devices or sensor based control.
XXXI	Use of glass may be reduced up to 40% to reduce the electricity consumption and load on air conditioning. If necessary, use high quality double glass with special reflective coating in windows.
XXXII	Roof should meet prescriptive requirement as per Energy Conservation Building Code by using appropriate thermal insulation material to fulfill requirement.
XXXIII	Energy conservation measures like installation of CFLs /TFLs for the lighting the areas outside the building should be integral part of the project design and should be in place before project commissioning. Use CFLs and TFLs should be properly collected and disposed off/sent for recycling as per the prevailing guidelines/rules of the regulatory authority to avoid mercury contamination. Use of solar panels may be done to the extent possible like installing solar street lights, common solar water heaters system. Project proponent should install, after checking feasibility, solar plus hybrid non-conventional energy source as source of energy.
XXXIV	Diesel power generating sets proposed as source of backup power for elevators and common area illumination during operation phase should be of enclosed type and conform to rules made under the Environment (Protection) Act, 1986. The height of stack of DG sets should be equal to the height needed for the combined capacity of all proposed DG sets. Use low sulphur diesel. The location of the DG sets may be decided with in consultation with Maharashtra Pollution Control Board.
XXXV	Noise should be controlled to ensure that it does not exceed the prescribed standards. During nighttime the noise levels measured at the boundary of the building shall be restricted to the permissible levels to comply with the prevalent regulations.
XXXVI	Traffic congestion near the entry and exit points from the roads adjoining the proposed project site must be avoided. Parking should be fully internalized and no public space should be utilized.
XXXVII	Opaque wall should meet prescriptive requirement as per Energy Conservation Building Code, which is proposed to be mandatory for all air-conditioned spaces while it is aspiration for non-air-conditioned spaces by use of appropriate thermal insulation material to fulfill requirement.
XXXVIII	The building should have adequate distance between them to allow movement of fresh air and passage of natural light, air and ventilation.
XXXIX	Regular supervision of the above and other measures for monitoring should be in place all through the construction phase, so as to avoid disturbance to the surroundings.
XL	Under the provisions of Environment (Protection) Act, 1986, legal action shall be initiated against the project proponent if it was found that construction of the project has been started without obtaining environmental clearance.
XLI	Six monthly monitoring reports should be submitted to the Regional office MoEF, Bhopal with copy to this department and MPCB.
XLII	Project proponent shall ensure completion of STP, MSW disposal facility, green belt development prior to occupation of the buildings. As agreed during the SEIAA meeting, PP to explore possibility of utilizing excess treated water in the adjacent area for gardening before discharging it into sewer line No physical occupation or allotment will be given unless all above said environmental infrastructure is installed and made functional including water requirement in Para 2. Prior certification from appropriate authority shall be obtained.
XLIII	Wet garbage should be treated by Organic Waste Converter and treated waste (manure) should be utilized in the existing premises for gardening. And, no wet garbage will be disposed outside the premises. Local authority should ensure this.
XLIV	Local body should ensure that no occupation certification is issued prior to operation of STP/MSW site etc. with due permission of MPCB.
XLV	A complete set of all the documents submitted to Department should be forwarded to the Local authority and MPCB.
XLVI	In the case of any change(s) in the scope of the project, the project would require a fresh appraisal by this Department.
XLVII	A separate environment management cell with qualified staff shall be set up for implementation of the stipulated environmental safeguards.

XLVIII	Separate funds shall be allocated for implementation of environmental protection measures/EMP along with item-wise breaks-up. These cost shall be included as part of the project cost. The funds earmarked for the environment protection measures shall not be diverted for other purposes and year-wise expenditure should reported to the MPCB & this department.
XLIX	The project management shall advertise at least in two local newspapers widely circulated in the region around the project, one of which shall be in the Marathi language of the local concerned within seven days of issue of this letter, informing that the project has been accorded environmental clearance and copies of clearance letter are available with the Maharashtra Pollution Control Board and may also be seen at Website at http://ec.maharashtra.gov.in.
L	Project management should submit half yearly compliance reports in respect of the stipulated prior environment clearance terms and conditions in hard & soft copies to the MPCB & this department, on 1st June & 1st December of each calendar year.
LI	A copy of the clearance letter shall be sent by proponent to the concerned Municipal Corporation and the local NGO, if any, from whom suggestions/representations, if any, were received while processing the proposal. The clearance letter shall also be put on the website of the Company by the proponent.
LII	The proponent shall upload the status of compliance of the stipulated EC conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB. The criteria pollutant levels namely; SPM, RSPM. SO2, NOx (ambient levels as well as stack emissions) or critical sector parameters, indicated for the project shall be monitored and displayed at a convenient location near the main gate of the company in the public domain.
LIII	The project proponent shall also submit six monthly reports on the status of compliance of the stipulated EC conditions including results of monitored data (both in hard copies as well as by e-mail) to the respective Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB.
LIV	The environmental statement for each financial year ending 31st March in Form-V as is mandated to be submitted by the project proponent to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of EC conditions and shall also be sent to the respective Regional Offices of MoEF by e-mail.



Shri. Anil Diggikar (Member Secretary SEIAA)

- 4. The environmental clearance is being issued without prejudice to the action initiated under EP Act or any court case pending in the court of law and it does not mean that project proponent has not violated any environmental laws in the past and whatever decision under EP Act or of the Hon'ble court will be binding on the project proponent. Hence this clearance does not give immunity to the project proponent in the case filed against him, if any or action initiated under EP Act.
- 5. In case of submission of false document and non-compliance of stipulated conditions, Authority/ Environment Department will revoke or suspend the Environment clearance without any intimation and initiate appropriate legal action under Environmental Protection Act, 1986.
- 6. The Environment department reserves the right to add any stringent condition or to revoke the clearance if conditions stipulated are not implemented to the satisfaction of the department or for that matter, for any other administrative reason.
- 7. Validity of Environment Clearance: The environmental clearance accorded shall be valid as per EIA Notification, 2006, and amendments by MoEF&CC Notification dated 29th April, 2015.
- 8. In case of any deviation or alteration in the project proposed from those submitted to this department for clearance, a fresh reference should be made to the department to assess the adequacy of the condition(s) imposed and to incorporate additional environmental protection measures required, if any.
- 9. The above stipulations would be enforced among others under the Water (Prevention and Control of Pollution) Act, 1974, the Air (Prevention and Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986 and rules there under, Hazardous Wastes (Management and Handling) Rules, 1989 and its amendments, the public Liability Insurance Act, 1991 and its amendments.
- 10. Any appeal against this Environment clearance shall lie with the National Green Tribunal (Western Zone Bench, Pune), New Administrative Building, 1stFloor, D-, Wing, Opposite Council Hall, Pune, if preferred, within 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.

Shri. Anil Diggikar (Member Secretary SEIAA)

### Copy to:

- 1. SHRI JOHNY JOSEPH, CHAIRMAN-SEIAA
- 2. SHRI UMAKANT DANGAT, CHAIRMAN-SEAC-I
- 3. SHRI M.M.ADTANI, CHAIRMAN-SEAC-II
- 4. SHRI ANIL .D. KALE. CHAIRMAN SEAC-III
- 5. SECRETARY MOEF & CC
- 6. IA- DIVISION MOEF & CC
- 7. MEMBER SECRETARY MAHARASHTRA POLLUTION CONTROL BOARD MUMBAI
- 8. REGIONAL OFFICE MOEF & CC NAGPUR
- 9. MUNICIPAL COMMISSIONER MUMBAI
- 10. MUNICIPAL COMMISSIONER NAVI MUMBAI
- 11. REGIONAL OFFICE MPCB MUMBAI
- 12. REGIONAL OFFICE MPCB NAVI MUMBAI
- 13. REGIONAL OFFICE MIDC ANDHERI
- 14. REGIONAL OFFICE MIDC KOPER KHAIRANE NAVI MUMBAI
- 15. MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD
- **16.** COLLECTOR OFFICE MUMBAI
- 17. COLLECTOR OFFICE MUMBAI SUB-URBAN

Con.